

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3763	((073/29.01,335.02,335.04,335.05,29.05,31.05,31.06) or (361/303,305,280,281,286) or (422/83,98)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 14:12
L2	385	1 and ((humidity moisture) with (sensor sensing detect\$4 monitor\$4 measur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 14:13
L3	186	1 and ((humidity moisture) near (sensor sensing detect\$4 monitor\$4 measur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 14:13
L4	4	3 and fluorine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/12 14:13
S1	3636	((humidity moisture) adj sensor).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/01 13:40
S2	290	S1 and dielectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 06:58
S3	3	(lee-don-\$4).in. and (bu-jong-\$4).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/01 13:51
S4	2	("5048336").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/01 13:52
S5	14	("5048336").URPN.	USPAT	OR	ON	2005/06/01 13:52
S6	2	("6647782").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/02 06:49
S7	9	("4057823"   "4277742"   "4305112"   "4816888"   "4893214"   "5050434"   "5075816"   "5345213"   "6111280").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/02 06:50
S8	3636	((humidity moisture) adj sensor).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 06:58
S9	290	S8 and dielectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 06:58
S10	10	S9 and (protect\$4 adj film)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 06:59

S11	20	S9 and (protect\$4 adj (layer film))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 07:05
S12	2	("4,520,341").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/02 07:07
S13	2	("4,639,831").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/02 07:23
S14	1	(WO-200142776-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 07:59
S15	1	(GB-2194845-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 08:25
S16	0	(silcon adj gel) near3 film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 08:25
S17	138	(silicon adj gel) near3 (film layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 08:52
S18	20	S17 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 08:26
S19	19	S17 and (humidty moisture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 08:35
S20	52	(silicon adj gel) with (moisture humidity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 09:05
S21	4	(fluorine adj gel) with (moisture humidity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 09:01
S22	16573	(silicon eadj gel) with (moisture humidity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 09:05
S23	130	(silicone adj gel) with (moisture humidity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 09:16

S24	16	(silicone adj gel) with (vapor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 09:17
S25	4	(("5279890") or ("6260417")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/02 09:58
S26	3681	((073/29.01,335.02,335.04,335.05,29.05,31.05,31.06) or (361/303,305,280,281,286) or (422/83,98)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/12 14:12
S27	667	S26 and (moisture humidity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 11:04
S28	250	S27 and (capacitor capacitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 11:05
S29	3	("6580600").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/02 11:10